

Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
20 CFR 1910.1200. Standard must be  
consulted for specific requirements.

U. S. Department of Labor

Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTIFY (As Used on Label and List) <b>SQWINCHER CHERRY - READY TO DRINK (ISOTONIC DRINK)</b>	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

<b>Section I</b>	
Manufacturer's Name <b>THE SQWINCHER CORPORATION</b>	Emergency Telephone Number <b>662-328-0400</b>
Address (Number, Street, City, State, and ZIP Code): <b>1409 Hwy 45 South, Columbus, MS 39701</b>	Telephone Number for Information: <b>662-328-0400 or 800-654-1920</b>
	Date Prepared <b>January 1, 2010</b>
	Signature of Preparer (optional)

<b>Section II - Hazardous Ingredients/Identity Information</b>			
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV Other Limits	% (optional) Recommended
<b>NONE</b>			

<b>Section III - Physical/Chemical Characteristics</b>			
Boiling Point	<b>207.9°F</b>	Specific Gravity (H <sub>2</sub> O = 1) (When Reconstituted)	<b>1.0318</b>
Vapor Pressure (mm Hg.)	<b>760 mm</b>	Percent Volatile by Volume (%)	<b>93.0</b>
Vapor Density (AIR = 1)	<b>&gt; 1</b>	Evaporation Rate (Butyl Acetate = 1) (Diethylether = 1)	<b>&lt; 1</b>
Solubility in Water <b>MISCIBLE</b>			
Appearance and Odor <b>Light Red Liquid Concentrate with Pleasant Odor</b>			

<b>Section IV - Fire and Explosion Hazard Data</b>			
Flash Point (Method Used) <b>None</b>	Flammable Limits <b>N/A</b>	LEL	UEL
Extinguishing Media <b>N/A</b>			
Special Fire Fighting Procedures <b>N/A</b>			
Unusual Fire and Explosion Hazards <b>N/A</b>			

Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
20 CFR 1910.1200. Standard must be  
consulted for specific requirements.

U. S. Department of Labor  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTIFY (As Used on Label and List) SQWINCHER FRUIT PUNCH - READY TO DRINK (ISOTONIC DRINK)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I	
Manufacturer's Name THE SQWINCHER CORPORATION	Emergency Telephone Number 662-328-0400
Address (Number, Street, City, State, and ZIP Code): 1409 Hwy 45 South, Columbus, MS 39701	Telephone Number for Information: 662-328-0400 or 800-654-1920
	Date Prepared January 1, 2010
	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information			
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV Other Limits	% (optional) Recommended
NONE			

Section III - Physical/Chemical Characteristics			
Boiling Point	207.1°F	Specific Gravity (H <sub>2</sub> O = 1) (When Reconstituted)	1.0318
Vapor Pressure (mm Hg.)	760 mm	Percent Volatile by Volume (%)	93.0
Vapor Density (AIR = 1)	> 1	Evaporation Rate (Butyl Acetate = 1) (Diethylether = 1)	< 1

Solubility in Water	MISCIBLE
Appearance and Odor	Light Red Liquid Concentrate with Pleasant Odor

Section IV - Fire and Explosion Hazard Data			
Flash Point (Method Used)	None	Flammable Limits	N/A
Extinguishing Media	N/A	LEL	UEL
Special Fire Fighting Procedures	N/A		
Unusual Fire and Explosion Hazards	N/A		

Material Safety Data Sheet  
May be used to comply with  
OSHA's Hazard Communication Standard,  
20 CFR 1910.1200. Standard must be  
consulted for specific requirements.

U. S. Department of Labor  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTIFY (As Used on Label and List) SQWINCHER GRAPE - READY TO DRINK (ISOTONIC DRINK)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I	
Manufacturer's Name THE SQWINCHER CORPORATION	Emergency Telephone Number 662-328-0400
Address (Number, Street, City, State, and ZIP Code): 1409 Hwy 45 South, Columbus, MS 39701	Telephone Number for Information: 662-328-0400 or 800-654-1920
	Date Prepared January 1, 2010
	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information			
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV Other Limits	% (optional) Recommended
NONE			

Section III - Physical/Chemical Characteristics			
Boiling Point	210.2°F	Specific Gravity (H <sub>2</sub> O = 1) (When Reconstituted)	1.0318
Vapor Pressure (mm Hg.)	760 mm	Percent Volatile by Volume (%)	93.0
Vapor Density (AIR = 1)	> 1	Evaporation Rate (Butyl Acetate = 1) (Diethylether = 1)	< 1

Solubility in Water	MISCIBLE
Appearance and Odor	
Purple Liquid Concentrate with Pleasant Odor	

Section IV - Fire and Explosion Hazard Data			
Flash Point (Method Used)	None	Flammable Limits	N/A
Extinguishing Media		LEL	UEL
Special Fire Fighting Procedures		N/A	
Unusual Fire and Explosion Hazards			
N/A			

Material Safety Data Sheet  
May be used to comply with  
OSHA's Hazard Communication Standard,  
20 CFR 1910.1200. Standard must be  
consulted for specific requirements.

U. S. Department of Labor  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTIFY (As Used on Label and List) <b>SQWINCHER LEMON-LIME - READY TO DRINK (ISOTONIC DRINK)</b>	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

<b>Section I</b>	
Manufacturer's Name <b>THE SQWINCHER CORPORATION</b>	Emergency Telephone Number <b>662-328-0400</b>
Address (Number, Street, City, State, and ZIP Code): <b>1409 Hwy 45 South, Columbus, MS 39701</b>	Telephone Number for Information: <b>662-328-0400 or 800-654-1920</b>
	Date Prepared <b>January 1, 2010</b>
	Signature of Preparer (optional)

<b>Section II - Hazardous Ingredients/Identity Information</b>			
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV Other Limits	% (optional) Recommended
<b>NONE</b>			

<b>Section III - Physical/Chemical Characteristics</b>			
Boiling Point	<b>208.8°F</b>	Specific Gravity (H <sub>2</sub> O = 1) (When Reconstituted)	<b>1.0318</b>
Vapor Pressure (mm Hg.)	<b>760 mm</b>	Percent Volatile by Volume (%)	<b>93.0</b>
Vapor Density (AIR = 1)	<b>&gt; 1</b>	Evaporation Rate (Butyl Acetate = 1) (Diethylether = 1)	<b>&lt; 1</b>

Solubility in Water	<b>MISCIBLE</b>
Appearance and Odor <b>Yellowish Green Liquid Concentrate with Pleasant Odor</b>	

<b>Section IV - Fire and Explosion Hazard Data</b>			
Flash Point (Method Used)	<b>None</b>	Flammable Limits	<b>N/A</b>
Extinguishing Media		LEL	UEL
<b>N/A</b>			
Special Fire Fighting Procedures	<b>N/A</b>		
Unusual Fire and Explosion Hazards	<b>N/A</b>		

Material Safety Data Sheet  
May be used to comply with  
OSHA's Hazard Communication Standard,  
20 CFR 1910.1200. Standard must be  
consulted for specific requirements.

U. S. Department of Labor  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTIFY (As Used on Label and List) SQWINCHER ORANGE - READY TO DRINK (ISOTONIC DRINK)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

Section I	
Manufacturer's Name THE SQWINCHER CORPORATION	Emergency Telephone Number 662-328-0400
Address (Number, Street, City, State, and ZIP Code): 1409 Hwy 45 South, Columbus, MS 39701	Telephone Number for Information: 662-328-0400 or 800-654-1920
	Date Prepared January 1, 2010
	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information			
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV Other Limits	% (optional) Recommended
NONE			

Section III - Physical/Chemical Characteristics			
Boiling Point	207.9°F	Specific Gravity (H <sub>2</sub> O = 1) (When Reconstituted)	1.0318
Vapor Pressure (mm Hg.)	760 mm	Percent Volatile by Volume (%)	93.0
Vapor Density (AIR = 1)	> 1	Evaporation Rate (Butyl Acetate = 1) (Diethylether = 1)	< 1
Solubility in Water MISCIBLE			
Appearance and Odor Orange Liquid Concentrate with Pleasant Odor			

Section IV - Fire and Explosion Hazard Data			
Flash Point (Method Used) None	Flammable Limits N/A	LEL	UEL
Extinguishing Media N/A			
Special Fire Fighting Procedures N/A			
Unusual Fire and Explosion Hazards N/A			

Material Safety Data Sheet  
May be used to comply with  
OSHA's Hazard Communication Standard,  
20 CFR 1910.1200. Standard must be  
consulted for specific requirements.

U. S. Department of Labor  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTIFY (As Used on Label and List) SQWINCHER TROPICAL COOLER - READY TO DRINK (ISOTONIC DRINK)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I	
Manufacturer's Name THE SQWINCHER CORPORATION	Emergency Telephone Number 662-328-0400
Address (Number, Street, City, State, and ZIP Code): 1409 Hwy 45 South, Columbus, MS 39701	Telephone Number for Information: 662-328-0400 or 800-654-1920
	Date Prepared January 1, 2010
	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information			
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV Other Limits	% (optional) Recommended
NONE			

Section III - Physical/Chemical Characteristics			
Boiling Point	208.4°F	Specific Gravity (H <sub>2</sub> O = 1) (When Reconstituted)	1.0318
Vapor Pressure (mm Hg.)	760 mm	Percent Volatile by Volume (%)	95.0
Vapor Density (AIR = 1)	> 1	Evaporation Rate (Butyl Acetate = 1) (Diethylether = 1)	< 1

Solubility in Water	MISCIBLE
Appearance and Odor	Light Orange Liquid Concentrate with Pleasant Odor

Section IV - Fire and Explosion Hazard Data			
Flash Point (Method Used)	None	Flammable Limits	N/A
Extinguishing Media	N/A	LEL	UEL
Special Fire Fighting Procedures	N/A		
Unusual Fire and Explosion Hazards	N/A		

Section V - Reactivity Data			
Stability	Unstable		Conditions to Avoid

	Stable	X	None
--	--------	---	------

Incompatibility (Materials to Avoid)

Hazardous Decomposition or Byproducts

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur		

## Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
--------------------	-------------	-------	------------

Health Hazards (Acute and Chronic)

--

--

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
------------------	------	------------------	-----------------

--

Signs and Symptoms of Exposure

--

Medical Conditions

Generally Aggravated by Exposure

Diabetics, pregnant women and anyone with a medical condition should seek the advice of a Physician as to what limits they can consume.

Emergency and First Aid Procedures N/A

--

## Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material Is Released or Spilled

--

None

--

Waste Disposal Method

--

Through sewage system into plant owned treatment facility leading into point source discharge

Precautions to Be Taken in Handling and Storing

--

None

--

Other Precautions

--

Sqwincher is water based; thus will conduct electricity

--

## Section VIII - Control Measures

Respiratory Protection (Specify Type) None

Ventilation N/A	Local Exhaust	Special
	Mechanical (General)	Other

Protective Gloves None

Eye Protection	None
----------------	------

Other Protective Clothing or Equipment None

--

Work/Hygienic Practices

--

Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
20 CFR 1910.1200. Standard must be  
consulted for specific requirements.

U. S. Department of Labor  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTIFY (As Used on Label and List) SQWINCHER MIXED BERRY - READY TO DRINK (ISOTONIC DRINK)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I	
Manufacturer's Name THE SQWINCHER CORPORATION	Emergency Telephone Number 662-328-0400
Address (Number, Street, City, State, and ZIP Code): 1409 Hwy 45 South, Columbus, MS 39701	Telephone Number for Information: 662-328-0400 or 800-654-1920
	Date Prepared January 1, 2010
	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information			
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV Other Limits	% (optional) Recommended
NONE			

Section III - Physical/Chemical Characteristics			
Boiling Point	200.2°F	Specific Gravity (H <sub>2</sub> O = 1) (When Reconstituted)	1.0318
Vapor Pressure (mm Hg.)	760 mm	Percent Volatile by Volume (%)	93.0
Vapor Density (AIR = 1)	> 1	Evaporation Rate (Butyl Acetate = 1) (Diethylether = 1)	< 1

Solubility in Water	MISCIBLE
Appearance and Odor	
Light Blue Liquid Concentrate with Pleasant Odor	

Section IV - Fire and Explosion Hazard Data			
Flash Point (Method Used)	None	Flammable Limits	N/A
Extinguishing Media	N/A	LEL	UEL
Special Fire Fighting Procedures	N/A		
Unusual Fire and Explosion Hazards	N/A		

Material Safety Data Sheet  
May be used to comply with  
OSHA's Hazard Communication Standard,  
20 CFR 1910.1200. Standard must be  
consulted for specific requirements.

U. S. Department of Labor  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTIFY (As Used on Label and List) <b>SQWINCHER COOL CITRUS- READY TO DRINK (ISOTONIC DRINK)</b>	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

<b>Section I</b>	
Manufacturer's Name <b>THE SQWINCHER CORPORATION</b>	Emergency Telephone Number <b>662-328-0400</b>
Address (Number, Street, City, State, and ZIP Code): <b>1409 Hwy 45 South, Columbus, MS 39701</b>	Telephone Number for Information: <b>662-328-0400 or 800-654-1920</b>
	Date Prepared <b>January 1, 2010</b>
	Signature of Preparer (optional)

<b>Section II - Hazardous Ingredients/Identity Information</b>			
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV Other Limits	% (optional) Recommended
<b>NONE</b>			

<b>Section III - Physical/Chemical Characteristics</b>			
Boiling Point	<b>206.9°F</b>	Specific Gravity (H <sub>2</sub> O = 1) (When Reconstituted)	<b>1.0318</b>
Vapor Pressure (mm Hg.)	<b>760 mm</b>	Percent Volatile by Volume (%)	<b>93.0</b>
Vapor Density (AIR = 1)	<b>&gt; 1</b>	Evaporation Rate (Butyl Acetate = 1) (Diethylether = 1)	<b>&lt; 1</b>
Solubility in Water <b>MISCIBLE</b>			
Appearance and Odor <b>Light Red Liquid Concentrate with Pleasant Odor</b>			

<b>Section IV - Fire and Explosion Hazard Data</b>			
Flash Point (Method Used) <b>None</b>	Flammable Limits <b>N/A</b>	LEL	UEL
Extinguishing Media <b>N/A</b>			
Special Fire Fighting Procedures <b>N/A</b>			
Unusual Fire and Explosion Hazards <b>N/A</b>			