View Section: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER NAME: 3M

DIVISION: **Abrasives Systems Division** ADDRESS: 3M Center St. Paul, MN 55144-1000

EMERGENCY PHONE: 1-800-364-3577 or (651) 737-6501 (24 hours)

ISSUED: 07/16/10 SUPERSEDES: 05/24/10 Intended Use: **Abrasive Product** ADDRESS: 3M Center ADDRESS CITY: St. Paul. ADDRESS STATE: MN ADDRESS ZIP: 55144-1000

BUSINESS PHONE: 1-800-364-3577 or (651) 737-6501 (24 hours)

3MTM Scotch-BriteTM Bristle Disc, Scotch-BriteTM Radial Bristle Disc, Scotch-BriteTM Radial Bristle Brush, Scotch-Brite TM RolocTM Body Man's TRADE NAME:

Bristle Disc

PRODUCT NAME: 3M Scotch-Brite Bristle Disc, Scotch-Brite Radial Bristle Disc, Scotch-

Brite Radial Bristle Brush, Scotch-Brite Roloc Body Man's Bristle Disc

MSDS Manufacturer Number: 19-1098-3

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name	CAS#	Ingredient Percent
Themoplastic Binder	Mixture	35 - 80 by Weight
Aluminum Oxide Mineral	1344-28-1	10 - 30 by Weight
CubitronTM Mineral	66402-68-4	3 - 20 by Weight
Polysiloxane	Mixture	1 - 20 by Weight
Roloc Button	Mixture	0 - 5 by Weight
Pigment	Mixture	.25 - 1.0 by Weight

SECTION 3 - HAZARDS IDENTIFICATION

Odor, Color, Grade: Abrasive Product, no odor.

General Physical Form: Solid

Immediate health, physical, This document covers only the 3M product. For complete assessment, and environmental hazards: when determining the degree of hazard, the material being abraded

must also be considered.

EYE CONTACT: Mechanical eye irritation: Signs/symptoms may include pain, redness,

tearing and corneal abrasion. Dust created by cutting, grinding, sanding, or machining may cause eye irritation. Signs/symptoms may include

redness, swelling, pain, tearing, and blurred or hazy vision.

SKIN CONTACT: Mechanical Skin irritation: Signs/symptoms may include abrasion,

redness, pain, and itching.

INHALATION: Dust from cutting, grinding, sanding or machining may cause irritation of the respiratory system. Signs/symptoms may include cough, sneezing,

nasal discharge, headache, hoarseness, and nose and throat pain. Prolonged or repeated exposure may cause: Pneumoconiosis: Sign/symptoms may include persistent cough, breathlessness, chest pain, increased amounts of sputum, and changes in lung function tests.

INGESTION: No health effects are expected.

SECTION 4 - FIRST AID MEASURES

EYE CONTACT: Flush eyes with large amounts of water. If signs/symptoms persist, get

medical attention.

SKIN CONTACT: Wash affected area with soap and water. If signs/symptoms develop,

get medical attention. Remove person to fresh air. If signs/symptoms develop, get medical

attention. INGESTION: No need for first aid is anticipated.

First Aid Comments: The following first aid recommendations are based on an assumption

that appropriate personal and industrial hygiene practices are followed.

SECTION 5 - FIRE FIGHTING MEASURES

AUTOIGNITION Not Applicable

TEMPERATURE: FLASH POINT:

INHALATION:

Not Applicable Not Applicable Not Applicable

FLAMMABLE LIMITS - LEL: FLAMMABLE LIMITS - UEL: **EXTINGUISHING MEDIA:**

Ordinary combustible material. Use fire extinguishers with class A

extinguishing agents (e.g., water, foam). Wear full protective equipment (Bunker Gear) and a self-contained

SPECIAL FIRE FIGHTING PROCEDURES:

breathing apparatus (SCBA).

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Not applicable. None inherent in this product.

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONNEL PRECAUTIONS: Not applicable. **ENVIRONMENTAL DATA:** Not applicable.

SPILL CLEAN UP MEASURES: Not applicable. In the event of a release of this material, the user should determine if the release qualifies as reportable according to local, state,

and federal regulations.

SECTION 7 - HANDLING and STORAGE

HANDLING: For industrial or professional use only. Avoid breathing of dust created

by sanding, grinding or machining. Avoid eye contact with dust or airborne particles. Damaged product can break apart during use and cause serious injury to face or eyes. Check product for damage such as cracks or nicks prior to use. Replace if damaged. Always wear eye and face protection when working at sanding or grinding operations or when near such operations. Sparks and particles flying from the product

during sanding or grinding can cause injury and fire.

STORAGE: Store in a cool, dry place.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Guideline Type: OSHA TWA, respirable fraction

Guideline Info: 5 mg/m3

Ingredient: **Aluminum Oxide Mineral Guideline Type:** OSHA TWA, as total dust

Guideline Info: 15 mg/m3

Ingredient: **Aluminum Oxide Mineral**

CMRG TWA **Guideline Type: Guideline Info:** 1 fiber/cc

Ingredient: Aluminum Oxide Mineral SOURCE OF EXPOSURE LIMIT

DATA:

ACGIH: American Conference of Governmental Industrial Hygienists CMRG: Chemical Manufacturer Recommended Guideline OSHA: Occupational Safety and Health Administration AIHA: American Industrial Hygiene Association Workplace Environmental Exposure Level

(WEEL)

ENGINEERING CONTROLS:

Use with appropriate local exhaust ventilation. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below Occupational Exposure Limits and/or control dust, fume, or airborne particles. If ventilation is not adequate, use respiratory protection equipment. Provide appropriate local exhaust ventilation for sanding, grinding or machining.

EYE PROTECTION: Avoid eye contact. To minimize the risk of injury to face and eyes,

always wear eye and face protection when working at sanding or grinding operations or when near such operations. The following eye protection(s) are recommended: Safety Glasses with side shields

SKIN PROTECTION: A void skin contact. Wear appropriate gloves to minimize risk of injury to skin from contact with dust or physical abrasion from grinding or

sanding.

RESPIRATORY PROTECTION: Avoid breathing of dust created by sanding, grinding or machining. Assess exposure concentrations of all materials involved in the work

process. Consider material being abraded when determining the appropriate resipratory protection. Select and use appropriate spirators to prevent inhalation overexposure. Select one of the following NIOSH approved respirators based on airborne concentration of contaminants and in accordance with OSHA regulations: Half facepiece or fullface air-purifying respirator with N95 particulate filters . Consult the current 3M Respiratory Selection Guide for additional information or call 1-800-243-4630 for 3M technical assistance.

Prevention of Swallowing: Not an expected route of exposure. Wash hands after handling and

Not Applicable

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

Odor, Color, Grade: Abrasive Product, no odor.

General Physical Form: Solid

Autoignition temperature: Flash Point: Not Applicable Flammable Limits - LEL: Not Applicable Flammable Limits - UEL: Not Applicable **BOILING POINT:** Not Applicable **VAPOR DENSITY:** Not Applicable **VAPOR PRESSURE:** Not Applicable SPECIFIC GRAVITY: Not Applicable Not Applicable MELTING POINT: Not Applicable SOLUBILITY IN WATER: Not Applicable **EVAPORATION RATE:** Not Applicable Not Applicable Kow - Oct/Water partition Not Applicable

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Stable.

CONDITIONS TO AVOID: HAZARDOUS POLYMERIZATION:

10.1 Conditions to avoid None known 10.2 Materials to avoid None known

Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION Substance: Carbon monoxide (Condition: During Combustion) Substance:

Carbon dioxide (Condition: During Combustion)

PRODUCTS:

HAZARDOUS DECOMPOSITION Under recommended usage conditions, hazardous decomposition products are not expected. Hazardous decomposition products may occur as a result of oxidation, heating, or reaction with another

material.

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicological Information: Please contact the address listed on the first page of the MSDS for

Toxicological Information on this material and/or its components.

SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: CHEMICAL FATE INFORMATION:

Not determined.

Not determined.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

The substrate that was abraded must be considered as a factor in the disposal method for this product. Dispose of waste product in a sanitary landfill. As a disposal alternative, incinerate in an industrial or commercial facility. Since regulations vary, consult applicable regulations or authorities before disposal.

EPA Hazardous Waste Number EPA Hazardous Waste Number (RCRA): Not regulated

SECTION 14 - TRANSPORT INFORMATION

Transportation Information:

Not regulated per U.S. DOT, IATA or IMO. These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M's transportation classifications are based on product formulation, packaging, 3M policies and 3M's understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling, or marking requirements. The original 3M package is certified for U.S. ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.

SECTION 15 - REGULATORY INFORMATION

US FEDERAL REGULATIONS:

Contact 3M for more information.

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delaved Hazard - Yes

STATE REGULATIONS:

Contact 3M for more information.

CHEMICAL INVENTORIES:

This product is an article as defined by TSCA regulations, and is exempt

from TSCA Inventory listing requirements. Contact 3M for more

information.

INTERNATIONAL **REGULATIONS:**

Contact 3M for more information.

WHMIS:

U.S OSHA:

This MSDS has been prepared to meet the U.S. OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

SECTION 16 - ADDITIONAL INFORMATION

NFPA - REACTIVITY: O NFPA - SPECIAL HAZARDS: None

NFPA - HEALTH:

HMIS AND NFPA NOTES:

NFPA Explanation: National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of

combustion or decomposition products that are known to be generated in significant quantities.;

Revision Changes:

Section 8: Engineering controls information was modified. Section 2: Ingredient table was modified. Section 6: Environmental procedures heading was added. Section 6: Personal precautions heading was added. Section 6: Personal precautions information was added. Section 6: Methods for cleaning up information was added. Section 6: Clean-up methods heading was added. Section 6: Release measures heading was

DISCLAIMER:

deleted. The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A

PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no

representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M. 3M MSDSs are

available at www.3M.com