


View Section : [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#)

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

(N/A)

Product Name: Mist Spray Adhesive
Distributor Name: Fastenal Company
Distributor Address: Winona, MN 55987, USA
 Emergency Phone: 1-813-248-0585


Distributor Telephone: 1-877-Fastenal
Revision Date: August 8, 2005
 Revision #: 1

Manufacturer Name: Fastenal
Address: Winona, MN 55987, USA
 Expiry Date: August 8, 2008
 Emergency Phone: 1-813-248-0585

General Use: Adhesive
Business Phone: 1-877-Fastenal
 NFPA 704: National Fire Protection Association:
 Hazard Rating:
 0 = Minimal
 1 = Slight
 2 = Moderate
 3 = Severe
 4 = Extreme

Product Codes: 0605040

NFPA

[To Top of page](#)

SECTION 2 : COMPOSITION, INFORMATION ON INGREDIENTS

(N/A)

Ingredient Name	CAS#	Ingredient Percent
Isobutane	75-28-5	15 - 40% by Weight
EC Index Number:	1	
Cyclohexane	110-82-7	15 - 40% by Weight
EC Index Number:	1	
Acetone	67-64-1	10 - 30% by Weight
EC Index Number:	1	
Propane	74-98-6	5 - 10% by Weight
EC Index Number:	1	

[To Top of page](#)

SECTION 3 : HAZARDS IDENTIFICATION

(N/A)

Emergency Overview: DANGER
 EXTREMELY FLAMMABLE AEROSOL. CONTENTS UNDER PRESSURE.
 CONTAINER MAY EXPLODE IF HEATED. HARMFUL OR FATAL IF SWALLOWED.
 MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. Do not
 puncture. Do not burn. Store away from heat.
Potential Health Effects: See Section 11 for more information.

Applies to All Ingredients :

Route of Exposure: Skin contact, skin absorption, eye contact, and inhalation.
Potential Health Effects:
Eye Contact: May irritate eyes.
Skin Contact: May irritate skin.
Inhalation: Excessive intentional inhalation may cause respiratory tract irritation and

Ingestion:	central nervous system effects (headache, dizziness). Aspiration of material into lungs can cause chemical pneumonitis.
Chronic Health Effects:	May cause stomach distress, nausea or vomiting.
Target Organs:	Prolonged or repeated exposure can cause drying, defatting and dermatitis. Not available.
	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Signs/Symptoms:	Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Aggravation of Pre-Existing Conditions:	Certain pre-existing conditions may make workers particularly susceptible to the effects of this chemical: asthma, allergies, impaired pulmonary function. Potential Environmental Effects: See Section 12 for more information. This product is not expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

[To Top of page](#)



SECTION 4 : FIRST AID MEASURES

: (N/A)

Eye Contact:	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
Skin Contact:	After contact with skin, wash immediately with plenty of water. Remove and wash contaminated clothing before re-use. If irritation persists, get medical attention.
Inhalation:	If breathed in, move person into fresh air. If symptoms persist, obtain medical attention. If breathing has stopped, trained personnel should administer CPR immediately.
Ingestion:	If swallowed, call a Poison Control Centre or doctor immediately. DO NOT induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. If swallowed, rinse mouth with water (only if the person is conscious).
Note to Physicians:	Symptoms may be delayed. General Advice: In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).

[To Top of page](#)



SECTION 5 : FIRE FIGHTING MEASURES

: (N/A)

Fire:	Flammability: FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols): EXTREMELY FLAMMABLE. Flammable aerosol by WHMIS criteria.
Flash Point:	(Of concentrate): Not available.
Upper Flammable or Explosive Limit:	Not available.
Lower Flammable or Explosive Limit:	Not available.
Auto Ignition Temperature:	Not available.
Extinguishing Media:	Powder, water spray, foam, carbon dioxide.
Unsuitable Media:	Not available.
Hazardous Combustion Byproducts:	Oxides of carbon.
Fire Fighting Instructions:	Pressurized container may explode when exposed to heat or flame. In case of fire and/or explosion do not breathe fumes. Firefighters should wear full protective clothing including self contained breathing apparatus.
Sensitivity to Impact:	Mechanical Impact: Not available.
Static Discharge Effects:	Not available.

[To Top of page](#)



SECTION 6 : ACCIDENTAL RELEASE MEASURES

: (N/A)

Personal Precautions:	Use personal protection recommended in Section 8. Isolate area. Remove sources of ignition. Keep unnecessary personnel away. Ruptured cylinders may rocket.
Spill Cleanup Measures:	Sweep up or gather material and place in appropriate container for disposal. Allow gas to dissipate into the atmosphere. Methods for Containment: Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks).
Environmental Precautions:	Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Other Information: Not available.

[To Top of page](#)



SECTION 7 : HANDLING and STORAGE

: (N/A)

Handling:	Keep away from heat, open flames or other sources of ignition. Avoid contact with eyes. Avoid contact with skin. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in a well-ventilated area. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.
Storage:	Keep out of the reach of children. Do not store at temperatures above 49 deg C. Store in a cool, dry, well-ventilated area. Keep away from food, drink and animal feedingstuffs.
Hygiene Practices:	Handle in accordance with good industrial hygiene and safety practice.

**SECTION 8 : EXPOSURE CONTROLS, PERSONAL PROTECTION**

: (N/A)

Engineering Controls:	Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.
Skin Protection Description:	Wear suitable protective clothing.
Hand Protection Description:	Wear suitable gloves.
Eye/Face Protection:	Wear safety glasses with side shields.
Protective Clothing/Body Protection:	Body Protection: Wear suitable protective clothing.
Respiratory Protection:	In case of insufficient ventilation, wear suitable respiratory equipment.
	General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice.

Ingredient Guidelines**Ingredient:** Acetone

Guideline Type:	OSHA PEL-TWA
Guideline Information:	1000 ppm
Guideline Type:	ACGIH TLV-TWA
Guideline Information:	750 ppm

Ingredient: Cyclohexane

Guideline Type:	OSHA PEL-TWA
Guideline Information:	300 ppm
Guideline Type:	ACGIH TLV-TWA
Guideline Information:	100 ppm

Ingredient: Isobutane

Guideline Type:	OSHA PEL-TWA
Guideline Information:	Not available
Guideline Type:	ACGIH TLV-TWA
Guideline Information:	Not available

Ingredient: Propane

Guideline Type:	OSHA PEL-TWA
Guideline Information:	1000 ppm
Guideline Type:	ACGIH TLV-TWA
Guideline Information:	1000 ppm

[To Top of page](#)**SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES**

: (N/A)

Physical State/Appearance:	Opaque.
Color:	White.
Odor:	Acetone.
Physical State:	Gas/Pressurized Liquid.
pH:	(Of concentrate): Not available.
Vapor Pressure:	(Of concentrate): Not available.
Vapor Density:	(Of concentrate): Not available.
Flash Point:	(Of concentrate): Not available.
Auto Ignition Temperature:	Not available.
Upper Explosive Limit:	Not available.
Lower Explosive Limit:	Not available.
Boiling Point:	(Of concentrate): Not available.
Freezing Point:	(Of concentrate): Not available.
Solubility:	In Water (of concentrate): Insoluble.
Specific Gravity:	(Of concentrate): 0.814
Evaporation Point:	(Of concentrate): Not available.
Percent Volatile:	wt. %: 88.95
Volatile Organic Compound Content:	VOC content, wt. %: 24.95
Viscosity:	(Of concentrate): Water thin.
Odor Threshold:	Not available.
Coefficient of Water/Oil Distribution:	Not available.

[To Top of page](#)**SECTION 10 : STABILITY and REACTIVITY**

: (N/A)

Chemical Stability:	Stable under recommended storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.
Incompatibilities with Other Materials:	Oxidizers.
Reactivity:	Conditions of Reactivity: No dangerous reaction known under conditions of normal use.
	Possibility of Hazardous Reactions: Will not occur.
Hazardous Decomposition Products:	Oxides of carbon.

[To Top of page](#)**SECTION 11 : TOXICOLOGICAL INFORMATION**

: (N/A)

Applies to all ingredients:

Eye Effect:	May irritate eyes. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the
-------------	--

	conjunctiva.
Skin Effects:	May irritate skin. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Ingestion Effects:	Not a normal route of exposure. May cause stomach distress, nausea or vomiting.
Inhalation Effects:	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness). Aspiration of material into lungs can cause chemical pneumonitis.
Chronic Effects:	Not hazardous by WHMIS/OSHA criteria.
Carcinogenicity:	Not hazardous by WHMIS/OSHA criteria.
Mutagenicity:	Not hazardous by WHMIS/OSHA criteria.
Teratogenicity:	Not hazardous by WHMIS/OSHA criteria.
Embryo Toxicity:	Not hazardous by WHMIS/OSHA criteria.
Sensitization:	Respiratory Sensitization: Not hazardous by WHMIS/OSHA criteria. Skin Sensitization: Not hazardous by WHMIS/OSHA criteria.
Reproductive Toxicity:	Not hazardous by WHMIS/OSHA criteria.
Other Toxicological Information:	Target Organs: Not available. Toxicologically Synergistic Materials: Not available.
Isobutane :	
Acute Health Effects:	LD50 (oral): Not available
Inhalation Effects:	LC50: Not available
Carcinogenicity:	Chemical Listed as Carcinogen or Potential Carcinogen: NTP: No IARC: No OSHA: No ACGIH: No
Cyclohexane :	
Ingestion Effects:	LD50 (oral): 12705 mg/kg, rat
Inhalation Effects:	LC50: Not available
Carcinogenicity:	Chemical Listed as Carcinogen or Potential Carcinogen: NTP: No IARC: No OSHA: No ACGIH: No
Acetone :	
Ingestion Effects:	LD50 (oral): 5800 mg/kg, rat
Inhalation Effects:	LC50: Not available
Carcinogenicity:	Chemical Listed as Carcinogen or Potential Carcinogen: NTP: No IARC: No OSHA: No ACGIH: No
Propane :	
Ingestion Effects:	LD50 (oral): Not available
Inhalation Effects:	LC50: Not available
Carcinogenicity:	Chemical Listed as Carcinogen or Potential Carcinogen: NTP: No IARC: No OSHA: No ACGIH: No

[To Top of page](#)



SECTION 12 : ECOLOGICAL INFORMATION

: (N/A)

Ecotoxicity:	This product is not expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.
Bioaccumulation:	Bioaccumulation/Accumulation: Not available.
Biodegradation:	Persistence/Degradability: Not available.
Mobility in Environment:	Not available.

[To Top of page](#)



SECTION 13 : DISPOSAL CONSIDERATIONS

: (N/A)

Waste Disposal:	This material and its container must be disposed of in a safe way. Dispose in accordance with all applicable regulations.
-----------------	---

[To Top of page](#)



SECTION 14 : TRANSPORT INFORMATION

: (N/A)

DOT Shipping Information:	DOT (Ground) Classification: ORM-D
IATA Shipping Name:	AEROSOLS, flammable
IATA Hazard Class:	2.1
IATA UN Number:	UN1950
Canadian TDG:	TDG (Ground) Classification: Limited Quantity

[To Top of page](#)



SECTION 15 : REGULATORY INFORMATION

: (N/A)

Applies to All Ingredients :

TSCA 8(b): Inventory Status:	Ingredients on List: Yes
------------------------------	--------------------------

State:	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.
--------	--

Canada WHMIS: Canadian: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Classification:
Class A - Compressed Gas
Class B5 - Flammable Aerosol
Class D2B - Skin/Eye Irritant

Canada DSL: Ingredients on List: Yes

Canada NDSL: Ingredients on List: No

US: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200).

NFPA 704: National Fire Protection Association:
Health - 2
Fire - 3
Reactivity - 0

Hazard Rating:
0 = Minimal
1 = Slight
2 = Moderate
3 = Severe
4 = Extreme

Isobutane :

Section 313 Toxic Release Form (Yes/No): No

Cyclohexane :

Section 304 CERCLA RQ: 1,000 lbs.

Section 313 Toxic Release Form (Yes/No): Yes

Acetone :

Section 304 CERCLA RQ: 5,000 lbs.

Section 313 Toxic Release Form (Yes/No): No

Propane :

Section 313 Toxic Release Form (Yes/No): No

[To Top of page](#)



SECTION 16 : ADDITIONAL INFORMATION

: (N/A)

NFPA:

Health: 2 = Moderate

Fire Hazard: 3 = Severe

Reactivity: 0 = Minimal

MSDS Revision Date: August 8, 2005
Revision #: 1

Expiry Date: August 8, 2008

MSDS Author:

Prepared by:
Nexreg Compliance Inc.
Phone: (519) 488-5126
Web: www.nexreg.ca

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

NFPA 704: National Fire Protection Association:
Hazard Rating:
0 = Minimal
1 = Slight
2 = Moderate
3 = Severe
4 = Extreme

Formula #: A00313

Copyright© 1996-2009 Actio Corporation. All Rights Reserved.

[To Top of page](#)

